

Unified STEEL®

STONE COATED ROOFING

PROTECT YOUR HOME AGAINST HAIL DAMAGE

Over the past several years, the damage caused by large hail stones has increased the demand for greater protection. Unified Steel® products has been tested to meet the criteria for **UL Class 4 Impact Resistance***, as well as the new standard of testing for **Very Severe Hail (VSH) Impact Resistance**.



CHOOSE A ROOF THAT CAN HELP SAVE YOU TIME AND MONEY

- Class 4 and Very Severe Hail Impact ratings offer the highest hail performance certification recognized in the industry, increasing the protection of your home against the toughest elements.
- Save on energy with Westlake Royal™ Cool Roof Systems, shown to lower energy bills for the life of the roof.
- 50-year Limited Fully Transferable Warranty.**



PROTECT YOURSELF—CHOOSE QUALIFIED INSTALLERS

When damage occurs after a hailstorm, contact Westlake Royal Roofing for help with your next steps. Our experts can help you find a pro that will have your best interest in mind and the right roofing solution that will protect your home for years to come.

**Call us today, we can offer guidance and point you in the right direction:
800.658.8004**

* UL 2218 Hail Impact with Steel Ball, per QA

** For product warranty details, please visit [Unified Steel Product Warranty](#) on our website. The warranty found there is the sole warranty applicable to Unified Steel™ roofing products.



Visit our [WestlakeRoyalRoofing.com/Hail](https://www.WestlakeRoyalRoofing.com/Hail) website page to learn more!

PINE-CREST Shake

Engineered to replicate hand-split wood shake with the durability of steel.

NEW



NEW




HARBORWOOD
4DAP93569SF

CRRC #: 0942-0227 / Ref: 0.22 /
Emi: 0.92 / SRI: 23 / Aged SRI: 22*



STIRLING GRAY
4DAP95427SF


CRRC #: 0942-0226 / Ref: 0.20 /
Emi: 0.92 / SRI: 20 / Aged SRI: 20*



TIMBERWOOD
4DAP93225SF




IRONWOOD
4DAP95325SF



COUNTRY BLEND
4DAP93145SF



GOLD RIVER
4DAP93245SF



BARCLAY
4DAP93185SF



CHARCOAL
4DAP9104000

COTTAGE Shingle

Enhanced high-definition three color blend that creates a clean, classic mid-profile shingle look.



TIMBERWOOD-HD
4DCP93225HD



BARCLAY-HD
4DCP93185HD



IRONWOOD-HD
4DCP95325HD




CHARCOAL-HD
4DCP91040HD

GRANITE-RIDGE Shingle


A low-profile, high wind resistant shingle that adds long-life and beauty.




ENGLISH SUEDE
4DBP90400SF




TIMBERWOOD
4DBP93225SF



IRONWOOD
4DBP95325SF



CHARCOAL
4DBP9104000



BARCLAY
4DBP93185SF



Ironwood

The printed colors shown in this brochure may vary from actual available tile colors. Always use actual product samples for color selection.


PACIFIC Tile

Mediterranean Villa, medium profile tile that emulates the traditional style of southern Europe.

NEW



NEW




HARBORWOOD
4DEP93569SF

CRRC #: 0942-0227 / Ref: 0.22 /
Emi: 0.92 / SRI: 23 / Aged SRI: 22*




STIRLING GRAY
4DEP95427SF

CRRC #: 0942-0226 / Ref: 0.20 /
Emi: 0.92 / SRI: 20 / Aged SRI: 20*



TIMBERWOOD
4DEP93225SF



BARCLAY
4DEP93185SF



SPANISH RED
4DEP9732500



CHARCOAL
4DEP9104000



Timberwood


BARREL-VAULT Tile

The traditional look of High-Barrel Spanish tile that enhances your home's curb appeal.



DOVER*
4DDP9815000

CRRC #: 0942-0218 / Ref: 0.40 /
Emi: 0.87 / SRI: 45 / Aged SRI: 42



SUNSET GOLD
4DDP96165SF


CRRC #: 0942-0228 / Ref: 0.22 /
Emi: 0.93 / SRI: 23 / Aged SRI: 22*




SPANISH RED
4DDP9732500




BARCELONA
4DDP97335SF



SANTA FE
4DDP96185SF



BARCLAY
4DDP93185SF



TIMBERWOOD
4DDP93225SF



CHARCOAL
4DDP9104000



Barcelona



Cool Rated Color



Compliant with California
Title 24, Part 6 Building
Energy Efficiency Standards.

*Estimated Aged SRI.

Unified Steel® stone coated roofing offers **five distinct profiles** that will enhance the curb appeal and value of any home while **providing durability, performance, and protection** that will last.



PROVEN DURABILITY

Unified Steel® long-lasting, lightweight roofing provides great value compared to life cycle costs of asphalt shingles.*



ENERGY EFFICIENT

When installed direct-to-deck, on battens or with Elevated Batten System® (EBS), Unified Steel® can help provide energy savings due to the use of Above Sheathing Ventilation (ASV).**



50-YEAR LIMITED WARRANTY

Unified Steel® offers one of the most comprehensive, fully transferable roofing warranties in the business today. Coverage includes 120 mph Wind and Class 4 Hail protection.***



FIRE, HAIL, AND WIND TESTED

All of our panels have systems that meet the highest standards for ASTM Class A Fire Rating, UL 2218 Class 4 Impact, FM 4473 Very Severe Hail (VSH) performance, and Florida wind requirements for the High Velocity Hurricane Zone (HVHZ).





INSURANCE DISCOUNTS - ENERGY REBATES

Through the classifications achieved against Fire, Hail, and Wind, the Unified Steel® product may help reduce insurance premiums or attain performance rebates, such as Cool Roof Colors. Consult your insurance carrier, roofing contractor, and/or energy provider for availability.



WIDE RANGE OF COLORS

Unified Steel is offered in a variety of profiles and colors to suit any architectural style. Check with your local contractor or Westlake Royal Roofing Service Center to confirm availability of colors and profiles in your area.



* Reroof based on average lifespan of asphalt shingle roofing at 18.1 years. Source: 3M Economic Forecast for the Asphalt Shingle Industry 2017- F.W. Dodge-Pre-2003, NAHB-Post-2003.

** Above Sheathing Ventilation (ASV) can be achieved when installing Unified Steel PINE-CREST Shake, PACIFIC Tile, BARREL-VAULT Tile or COTTAGE Shingle panels direct-to-deck or on battens.

*** For product warranty details, please visit [Unified Steel Product Warranty](#) on our website. The warranty found there is the sole warranty applicable to Unified Steel™ roofing products.

